

## Digital Tyre Inflators - Forecourt



- **D10** Wall mounted single 30mm LCD backlit screen unit with PCB mounted buttons, 7.6m hose and twin hold-on connector



- **D20** Pedestal mounted single 30mm LCD backlit screen unit with PCB mounted buttons, 7.6m hose and twin hold-on connector



- **D30** Stainless steel cabinet with retractable air reel, single LCD backlit display screen and PCB mounted buttons, 7.6m hose and twin hold-on connector

## Analogue Models - A10 / A20



- **A10** Wall mounted analogue version - 7.6m hose and twin hold-on connector
- **A20** Pedestal mounted version

## Digital Tyre Inflators - Tyre Shop



- **D11** Wall mounted single 30mm LCD backlit screen unit with PCB mounted buttons, 7.6m hose and single clip-on connector. Automatic over pressure setting facility for tyre bead sealing and Nitrogen purge facility
- **D12** High flow version of the standard unit to allow increased speed of inflation. Ideal for use with large volume tyres
- **D13** Multi tyre version of the high flow unit, allows inflation of up to 4 tyres to the same pressure simultaneously

## Wall Meters / Post Meters



### Wall Meters

- **WM1\*02** 7.6m (25ft) co-axial hose fitted with single clip-on connector
- **WM1\*01** 7.6m (25ft) co-axial hose fitted with twin hold-on connector
- **WM2\*02** 7.6m (25ft) twin twisted hose fitted with single clip-on connector
- **WM2\*01** 7.6m (25ft) twin twisted hose fitted with twin hold-on connector

### Post Meters

- **PM1\*02** 7.6m (25ft) co-axial hose fitted with single clip-on connector
  - **PM1\*01** 7.6m (25ft) co-axial hose fitted with twin hold-on connector
- ✳ Calibrations for wall meters and post meter options  
 F = 0 to 150 lbf/in<sup>2</sup> to 10.5 Kgf/cm<sup>2</sup>  
 H = 0 to 10 bar to 140 lbf/in<sup>2</sup>  
 D = 0 to 1000 kPa  
 J = 0 to 1000 kPa to 140 lbf/in<sup>2</sup>



## Pavement Gauge




- **PG1H01** Supplied with 1.5m hose, gauge diameter 250mm with twin hold on connector (open end). Finish hammer grey. Calibrated 0 to 140 lbf/in<sup>2</sup> and 0 to 10 bar

## 6 Litre Autoportair




- **P8H01** 6 Litre Autoportair with 0.76m (30") hose with twin hold-on connector. Calibrated 0 to 10 bar & 0-140 lbf/in<sup>2</sup>. Designed to meet EC Standards. Approved to 86/217/EC

## Hose Reels



- **HR1C01** Standard Hose Reel 9.15m (30ft) of 7mm (1/4") bore hose
- **HR1D09** Standard Hose Reel 7.6m (25ft) of 10mm (3/8") bore hose

## Footpumps



Footpumps complete with Airbed, Cycle and Ball Adaptors. Each in individual printed carton

- **FP1P01** "Power" with pressure check point (PCP)
- **FP1H01** "Power" with dial gauge dual calibrated lbf/bar. 0-100 lbf/in<sup>2</sup> & 0-7 bar
- **FP8H08** "Power Double Barrel" Footpump with preset dial gauge dual calibrated lbf/bar. 0-100 lbf/in<sup>2</sup> & 0-7 bar
- **FP4S021** "E35" model with steel construction
- **FP4H021** "E35" with preset dial gauge dual calibrated lbf/bar. 0-100 lbf/in<sup>2</sup> & 0-7 bar
- **FP7H021** "E35 Double Barrel" Footpump with preset dial gauge dual calibrated lbf/bar. 0-100 lbf/in<sup>2</sup> & 0-7 bar

## Footpump Accessories














- **FPA42** Hose with Thumb-Lock Tyre Valve Connector complete with Hose clip. Suitable for "E35" and "Power" Footpumps
- **FPA18** Hose with Thumb-Lock Tyre Valve Connector for "E35" and "Power" Footpumps with "PCP"
- **FPA22** "Multifit" Hose with Thumb-Lock Tyre Valve Connector and Multi-Diameter Threaded Pump Connection suitable for many footpump models
- **FPA02** Thumb-Lock Tyre Valve Connector
- **FPA44** Airbed, cycle and ball adaptor set








## Tyre Valve Connectors

-  **C01A03** Twin hold-on (open end)
-  **C01B03** Twin hold-on (closed end)
-  **C05A03** Twin hold-on (open end) Short Stem
-  **C03A03** Twin clip-on (open end)
-  **C03B03** Twin clip-on (closed end)
-  **C02H03** Single clip-on (open end) tailpiece for 6.35mm (1/4") bore hose
-  **C02J03** Single clip-on (closed end) tailpiece for 6.35mm (1/4") bore hose
-  **C02E03** Single clip-on (open end) tailpiece for 4.75mm (3/16") bore hose
-  **C02F03** Single clip-on (closed end) tailpiece for 4.75mm (3/16") bore hose
-  **C08E72** Euro style single clip-on (open end) for 4.75mm (3/16") bore hose
-  **C0671** Ball Foot Chuck (closed end) with integral tailpiece for 4.75mm (3/16") bore hose
-  **C09H03** 8V1 Screw-on for 6.35mm bore hose (open end)
-  **C09P03** 8V1 Screw-on Rp 1/4" (open end)
-  **C010H03** 12V1 Screw-on for 6.35mm bore hose (open end)
-  **C010P03** 12V1 Screw-on Rp 1/4" (open end)






## Tyre Pressure Gauges

-  **DPG1H03** 63mm Tyrecheck c/w twin hold-on connector
-  **DPG1H08** 63mm Tyrecheck c/w single clip-on connector
-  **DPG3H03** 80mm Tyrecheck c/w twin hold-on connector
-  **DPG3H08** 80mm Tyrecheck c/w single clip-on connector
-  **TPG1H01** Pocket type angled head dual calibrated 6 to 50 lbf/in<sup>2</sup> in 1lb units and 0.5 to 3.4 bar in 0.1 bar units. Bulk packed
-  **TPG20H01** Pocket type in-line head dual calibrated 6 to 50 lbf/in<sup>2</sup> in 1lb units and 0.5 to 3.4 bar in 0.1 bar units. Bulk packed
-  **TPG3H01** Pocket type angled head dual calibrated 10 to 120 lbf/in<sup>2</sup> in 2 lb units and 0.8 to 8.2 bar units. Bulk packed
-  **TPG6A01** Pocket type angled head calibrated 2 to 20 lbf/in<sup>2</sup> in 1 lb units. Bulk packed.
-  **TPG4H01** Pocket service type dual calibrated 10 to 120 lbf/in<sup>2</sup> in 2lb units and 0.8 to 8.2 bar in 0.2 bar units. Bulk packed
-  **TPG57H03** Universal service gauge dual calibrated 10 to 160 lbf/in<sup>2</sup> in 2lb units and 0.8 to 11 bar in 0.2 units. Packed in individual cardboard carton
-  **TPG60H03** Universal service gauge dual calibrated 10 to 160 lbf/in<sup>2</sup> in 2lb units and 0.8 to 11 bar in 0.2 bar units. Packed in individual cardboard carton
-  **TPG15H03** Tractor gauge air and water type, dual calibrated 6 to 50 lbf/in<sup>2</sup> in 2lb units and 0.5 to 3.4 bar in 0.2 bar units. Packed in individual cardboard carton
-  **TPG54H03** Twin head tyre gauge dual calibrated 50 to 300 lbf/in<sup>2</sup> in 5lb units and 4 to 20 bar in 0.2 bar units. Individually packed in a transparent plastic wallet. Suitable for use with 0.302 (8V1) and 0.482 (12V1) tyre valves


## Dial Type Airline Gauges

-  **ALG7H03** Dial Type Airline Gauge with 0.53m (21") hose and twin hold-on connector (open end)
-  **ALG7H04** Dial Type Airline Gauge with 1.8m (6ft) hose and single clip-on connector (open end)
-  **ALG7H041** Dial Type Airline Gauge with 2.7m (9ft) hose and single clip-on connector (open end)
-  **ALG7H05** Dial Type Airline Gauge with 1.8m (6ft) hose and twin clip-on connector (open end)
-  **ALG7H06** Dial Type Airline Gauge with 2.7m (9ft) hose and twin clip-on connector (open end)
-  **ALG7H08** Dial Type Airline Gauge with 0.53m (21") hose and Euro style single clip-on connector (open end)
-  **ALG7H081** Dial Type Airline Gauge with 1.2m (4ft) hose and Euro style single clip-on connector (open end)

## MK3 Airline Gauges

-  **ALG3H04** Airline Gauge MK3 with single clip-on connector (open end)
-  **ALG3H03** Airline Gauge MK3, with twin hold-on connector (open end)
-  **ALG3H031** Forecourt model, wire braided 0.36m hose with short stem twin hold on connector
-  **ALG3H05** "Tyre Shop" Airline Gauge, with 1.8m (6ft) hose and twin clip-on connector (open end)
-  **ALG3H06** "Tyre Shop" Airline Gauge with 2.7m (9ft) hose and twin clip-on connector (open end)
-  **ALG3H061** "Tyre Shop" Airline Gauge, with 2.7m (9ft) hose and single clip-on connector (open end)
-  **ALG5H04** High pressure model with 1.8m (6ft) hose and single clip-on connector (open end), calibrated 45 to 300 lbf/in<sup>2</sup> and 3 to 21 bar
-  **ALG5A02** High pressure model with 2m reinforced hose and single 8V1 screw-on connector (open end), calibrated 45 to 300 psi
-  **ALG5A03** High pressure model with 2m reinforced hose and single 12V1 screw-on connector (open end), calibrated 45 to 300 psi

Tread depth gauge



Tyre valve tool



### Packaging available:

- 1-Bulk Packed, 2-Wallet, 3-Carton,
- 4-Individual skin pack c/w wallet,
- 5-Individual skin pack, 6-Skin packed tear-off strip of 10

- TDG16C05** Tread depth gauge complies with EC directive 89/459/EEC. 1.6mm marking. Skin packed
- TPDG1S03** Combined digital tyre pressure and tread depth gauge. Pressure ranges selectable 0 to 140 psi and 0 to 10 bar. Tread depth gauge 0 to 16mm
- TSP1T05** Tyre safety pack. Skin packed. Comprising tyre pressure gauge, tyre tread depth gauge and wallet
- TVT05** 4 in 1 Tyre valve tool, Skin packed

## Airflow Airline Couplings



- **AC21CF** Female thread Rp 1/4"  
Kestrel packed No. **AC1P**
- **AC21EF** Female thread Rp 3/8"
- **AC21JF** Female thread Rp 1/2"
- **AC21CM** Male thread R 1/4"  
Kestrel packed No. **AC10P**
- **AC21EM** Male thread R 3/8"
- **AC21JM** Male thread R 1/2"
- **AC21R** With integral tailpiece suitable for 7mm (1/4") I.D hose
- **AC21S** With integral tailpiece suitable for 8mm (5/16") I.D hose
- **AC21T** With integral tailpiece suitable for 10mm (3/8") I.D hose

## Vertex Slim Airline Couplings



- **AC91CF** Female thread Rp 1/4"  
Kestrel packed No. **AC81P**
- **AC91EF** Female thread Rp 3/8"
- **AC91JF** Female thread Rp 1/2"
- **AC91CM** Male thread R 1/4"  
Kestrel packed No. **AC80P**
- **AC91EM** Male thread R 3/8"
- **AC91JM** Male thread R 1/2"
- **AC91R** With integral tailpiece suitable for 7mm (1/4") I.D hose
- **AC91S** With integral tailpiece suitable for 8mm (5/16") I.D hose
- **AC91T** With integral tailpiece suitable for 10mm (3/8") I.D hose

## Standard Adaptors for Airflow & Vertex Couplings



- **ACA2746** Female thread 1/4" BSP (Parallel)  
Kestrel packed No. **AC3P**
- **ACA6582** Female thread RP 3/8"
- **ACA6583** Female thread RP 1/2"
- **ACA2593** Male thread 1/4" BSPT  
Kestrel packed No. **AC2P**
- **ACA6909** Male thread 3/8" BSPT
- **ACA6584** Male thread R 1/2"
- **ACA2486** 4.75mm bore hose (3/16") tailpiece
- **ACA1793** 6.35mm bore hose (1/4") tailpiece  
Kestrel packed No. **AC4P**
- **ACA2487** 7.9mm bore hose (5/16") tailpiece
- **ACA2488** 9.5mm bore hose (3/8") tailpiece  
Kestrel packed No. **AC5P**
- **ACA9438** 13mm (1/2") hose tailpiece

## Standard Safety Adaptor

- **ACA9101** 1/4" male thread (bulk packed)

## Twin Coupling



- **AC6103** Twin airflow coupling, individual carton  
Kestrel packed No. **AC13P**
- **AC6503** Twin vertex coupling, individual carton  
Kestrel packed No. **AC82P**

**NOTE**  
R, Rp and Rc threads are taken from BS21:1985 pipe threads for tubes and fittings where pressure tight joints are made on the threads.  
G threads are taken from BS2779:1986 pipe threads for tubes and fittings where pressure tight joints are not made on the threads.

## JWL High Flow Euro Couplings



- **530002000** Female Rp 1/4"
- **530004000** Female Rp 3/8"
- **530005000** Female Rp 1/2"
- **530012000** Male R 1/4"
- **530014000** Male R 3/8"
- **530015000** Male R 1/2"
- **530022000** 6mm hose tailpiece
- **530023000** 8mm hose tailpiece
- **530024000** 10mm hose tailpiece
- **530025000** 13mm hose tailpiece

## JWL High Flow Euro Adaptors



- **520300** Female Rp 1/8"
- **520302** Female Rp 1/4"
- **520304** Female Rp 3/8"
- **520305** Female Rp 1/2"
- **520310** Male R 1/8"
- **520312** Male R 1/4"
- **520314** Male R 3/8"
- **520315** Male R 1/2"
- **520320** 4mm hose tailpiece
- **520322** 6mm hose tailpiece
- **520323** 8mm hose tailpiece
- **520324** 10mm hose tailpiece
- **520325** 13mm hose tailpiece

## "XF" Couplings



- **AC71CM** Male thread R 1/4"
- **AC71EM** Male thread R 3/8"
- **AC71JM** Male thread R 1/2"
- **AC71CF** Female thread RP 1/4"
- **AC71EF** Female thread RP 3/8"
- **AC71JF** Female thread RP 1/2"
- **AC7106** 6mm hose tailpiece
- **AC7108** 8mm hose tailpiece
- **AC7110** 10mm hose tailpiece
- **AC7113** 13mm hose tailpiece
- **AS71CM** Male thread G 1/4" **Safety coupling**
- **AS71EM** Male thread G 3/8" **Safety coupling**
- **AS71JM** Male thread G 1/2" **Safety coupling**
- **AS71CF** Female thread G 1/4" **Safety coupling**
- **AS71EF** Female thread G 3/8" **Safety coupling**
- **AS71JF** Female thread G 1/2" **Safety coupling**

## "XF" Adaptors



- **AA7101** Male thread R 1/8"
- **AA7102** Male thread R 1/4"
- **AA7103** Male thread R 3/8"
- **AA7104** Male thread R 1/2"
- **AA7105** Female thread R 1/8"
- **AA7106** Female thread R 1/4"
- **AA7107** Female thread R 3/8"
- **AA7108** Female thread R 1/2"
- **AA7109** 4mm hose tailpiece
- **AA7110** 6mm hose tailpiece
- **AA7111** 8mm hose tailpiece
- **AA7112** 10mm hose tailpiece
- **AA7113** 13mm hose tailpiece
- **AA7103/STY** Male thread R 3/8" **Safety adaptor**

## “ZF” Couplings



- AC81CM Male R 1/4"
- AC81EM Male R 3/8"
- AC81JM Male R 1/2"
- AC81LM Male R 3/4"
- AC81CF 1/4" female nut BSP
- AC81EF 3/8" female nut BSP
- AC81JF 1/2" female nut BSP
- AC81LF 3/4" female nut BSP
- AC8108 8mm hose tailpiece
- AC8110 10mm hose tailpiece
- AC8113 13mm hose tailpiece
- AC8116 16mm hose tailpiece
- AC8119 19mm hose tailpiece

## “ZF” Adaptors



- AA8101 1/4" male nut BSPT
- AA8102 3/8" male nut BSPT
- AA8103 1/2" male nut BSPT
- AA8104 3/4" male nut BSPT
- AA8105 1/4" female nut BSP
- AA8106 3/8" female nut BSP
- AA8107 1/2" female nut BSP
- AA8108 3/4" female nut BSP
- AA8109 6mm hose tailpiece
- AA8110 8mm hose tailpiece
- AA8111 10mm hose tailpiece
- AA8112 13mm hose tailpiece
- AA8113 16mm hose tailpiece
- AA8114 19mm hose tailpiece

## Euro Airline Coupling



- AC61CM Male thread R 1/4"
- AC61EM Male thread R 3/8"
- AC61JM Male thread R 1/2"
- AC61CF Female thread Rp 1/4"
- AC61EF Female thread Rp 3/8"
- AC61JF Female thread Rp 1/2"
- AC61R With integral tailpiece, suitable for 7mm (1/4") hose
- AC61S With integral tailpiece, suitable for 8mm (5/16") hose
- AC61T With integral tailpiece, suitable for 10mm (3/8") hose

## Euro Airline Adaptors



- ACA6923 Male R 1/4"
- ACA6924 Female Rp 1/4"
- ACA6912 6.35mm (1/4") bore hose
- ACA6922 7.9mm (5/16") bore hose
- ACA6930 9.5mm (3/8") bore hose

## Non Corrodable




- For use with standard adaptors
- AC32CM Male R 1/4"
  - AC32CF Female Rp 1/4"

## Mini Couplings



- AC11AF G1/8" female
- AC11CF G1/4" female
- AC11AM G1/8" male
- AC11CM G1/4" male

## Mini Adaptors



- AA11AM G1/8" male parallel
- AA11CM G1/4" male parallel
- AA11AF G1/8" female thread
- AA11CF G1/4" female thread
- AA1104 Hose tail for 4mm hose
- AA1106 Hose tail for 6mm hose
- AA1109 Hose tail for 9mm hose

## Multi-fit Couplings



- For use with XF, Euro and ISO B12 adaptors
- AC73CM Male thread R 1/4"
  - AC73EM Male thread R 3/8"
  - AC73JM Male thread R 1/2"
  - AC73CF Female thread Rp 1/4"
  - AC73EF Female thread Rp 3/8"
  - AC73JF Female thread Rp 1/2"
  - AC7306 With integral tailpiece, suitable for 7mm (1/4") hose
  - AC7308 With integral tailpiece, suitable for 8mm (5/16") hose
  - AC7310 With integral tailpiece, suitable for 10mm (1/2") hose
  - AC7313 With integral tailpiece, suitable for 13mm (1/2") hose

## Instantair Couplings



### Steel Zinc Plated

- AC51CM Male thread G 1/4" PT8825
- AC51EM Male thread G 3/8" PT8827
- AC51JM Male thread G 1/2" PT9095
- AC51CF Female thread Rp 1/4" PT8823
- AC51EF Female thread Rp 3/8" PT8800
- AC51JF Female thread Rp 1/2" PT9096
- AC51R 6.35mm (1/4") hose tailpiece PT8800/SU4
- AC51S 7.9mm (5/16") hose tailpiece PT8800/SU5
- AC51T 9.5mm (3/8") hose tailpiece PT8800/SU6



### Brass Chrome Plated

- AC52CM Male thread G 1/4" PT8826
- AC52EM Male thread G 3/8" PT8828
- AC52CF Female thread Rp 1/4" PT8824
- AC52EF Female thread Rp 3/8" PT8801
- AC52R 6.35mm (1/4") hose tailpiece PT8801/SU4
- AC52S 7.9mm (5/16") hose tailpiece PT8801/SU5
- AC52T 9.5mm (3/8") hose tailpiece PT8801/SU6



## Instantair Adaptors



### Steel Zinc Plated

- **AA5102** Male thread G 1/4" PT8808
- **AA5103** Male thread G 3/8" PT8817
- **AA5106** Female thread Rp 1/4" PT8806
- **AA5107** Female thread Rp 3/8" PT8802
- **AA5110** 6.35mm (1/4") hose tailpiece PT8801/SU4
- **AA5111** 7.9mm (5/16") hose tailpiece PT8801/SU5
- **AA5112** 9.5mm (3/8") hose tailpiece PT8801/SU6

### Brass Chrome Plated

- **AA5202** Male thread G 1/4" PT8809
- **AA5203** Male thread G 3/8" PT8818
- **AA5206** Female thread Rp 1/4" PT8807
- **AA5207** Female thread Rp 3/8" PT8803
- **AA5210** 6.35mm (1/4") hose tailpiece PT8803/SU4
- **AA5211** 7.9mm (5/16") hose tailpiece PT8803/SU5
- **AA5212** 9.5mm (3/8") hose tailpiece PT8803/SU6

## ISO B 12 Couplings



- **AC75CM** Male thread R 1/4"
- **AC75EM** Male thread R 3/8"
- **AC75JM** Male thread R 1/2"
- **AC75CF** Female thread Rp 1/4"
- **AC75EF** Female thread Rp 3/8"
- **AC75JF** Female thread Rp 1/2"
- **AC7506** With integral tailpiece, suitable for 7mm (1/4") hose
- **AC7508** With integral tailpiece, suitable for 8mm (5/16") hose
- **AC7510** With integral tailpiece, suitable for 10mm (3/8") hose
- **AC7513** With integral tailpiece, suitable for 13mm (1/2") hose

## Instantair 1/2" Couplings



### Steel Zinc Plated

- **AC59JM** Male thread G 1/2" PT8811
- **AC59JF** Female thread G 1/2" PT8812
- **AC59V** 12.7mm (1/2") hose tailpiece PT8813

## ISO B 12 Adaptors

Interchangeable with Rectus 23, Cejn 310, Hanson 3000, Dynaquip DC3



- **AA7502** Male R 1/4"
- **AA7503** Male R 3/8"
- **AA7504** Male R 1/2"
- **AA7506** Female Rp 1/4"
- **AA7507** Female R 3/8"
- **AA7508** Female R 1/2"
- **AA7510** 7mm hose tailpiece
- **AA7511** 8mm hose tailpiece
- **AA7512** 10mm hose tailpiece
- **AA7513** 13mm hose tailpiece

## Instantair Swivel Adaptors



### Steel Zinc Plated

- **AA5302** Male thread G 1/4" PT8836
- **AA5303** Male thread G 3/8" PT8838
- **AA5306** Female thread Rp 1/4" PT8834
- **AA5307** Female thread Rp 3/8" PT8804
- **AA5310** 6.35mm (1/4") hose tailpiece PT8804/SU4
- **AA5311** 7.9mm (5/16") hose tailpiece PT8804/SU5
- **AA5312** 9.5mm (3/8") hose tailpiece PT8804/SU6

### Brass Chrome Plated

- **AA5402** Male thread G 1/4" PT8837
- **AA5403** Male thread G 3/8" PT8839
- **AA5406** Female thread Rp 1/4" PT8835
- **AA5407** Female thread Rp 3/8" PT8805
- **AA5410** 6.35mm (1/4") hose tailpiece PT8805/SU4
- **AA5411** 7.9mm (5/16") hose tailpiece PT8805/SU5
- **AA5412** 9.5mm (3/8") hose tailpiece PT8805/SU6

## "Schrader" Couplings



- **ACS102** Standard - Male thread R 1/4" (9793D - 12)
- **ACS103** Standard - Male thread R 3/8" (9792D - 12)
- **ACS101** Standard - Female thread G 1/4" (9792D - 12)
- **ACS201** Heavy duty - Female thread G 1/2" (1461EL - 12)

## "Schrader" Adaptors



- **ACAS104** Standard - Male thread R 1/4" (8050B - 11)
- **ACAS105** Standard - Female thread G 1/4" (8278L - 11)
- **ACAS101** Standard - 6mm (1/4") hose tailpiece (8787 - 11)
- **ACAS103** Standard - 8mm (5/16") hose tailpiece (9750 - 11)
- **ACAS102** Standard - 10mm (3/8") hose tailpiece (8788 - 11)
- **ACAS204** Heavy duty - Male thread R 1/4" (8624B - 11)
- **ACAS205** Heavy duty - Male thread R 3/8" (9739 - 11)
- **ACAS203** Heavy duty - Male thread R 1/2" (8807 - 11)
- **ACAS201** Heavy duty - 10mm (3/8") hose tailpiece (1097 - 11)
- **ACAS202** Heavy duty - 12mm (1/2") hose tailpiece (1098 - 11)

## Instantair 1/2" Swivel Adaptors

### Steel Zinc Plated

- **AA5904** Male thread G 1/2"
- **AA5908** Female thread G 1/2"
- **AA5913** 12.7mm (1/2") hose tailpiece

## 60 Series Airline Couplings



- **AC4CF** Female thread Rp  $1/4"$
- **AC4EF** Female thread Rp  $3/8"$
- **AC4JF** Female thread Rp  $1/2"$
- **AC4CM** Male thread R  $1/4"$
- **AC4EM** Male thread R  $3/8"$
- **AC4JM** Male thread R  $1/2"$

## 60 Series Airline Adaptors



- **ACA2653** Female thread Rp  $1/4"$
- **ACA2660** Female thread Rp  $3/8"$
- **ACA2657** Male thread R  $1/4"$
- **ACA2661** Male thread R  $3/8"$
- **ACA2654** 7.9mm ( $5/16"$ ) bore hose tailpiece
- **ACA2658** 9.5mm ( $3/8"$ ) bore hose tailpiece
- **ACA2659** 12.7mm ( $1/2"$ ) bore hose tailpiece

## 60 Series Airline Adaptors

- **ACA9201** 60 Series safety adaptor  $3/8"$  male thread (bulk packed)

## M 100 Series Airline Couplings



- **AC5EF** Female thread Rp  $3/8"$
- **AC5JF** Female thread Rp  $1/2"$
- **AC5EM** Male thread R  $3/8"$
- **AC5JM** Male thread R  $1/2"$

## M 100 Series Airline Adaptors



- **ACA2994** Female thread Rp  $3/8"$
- **ACA2999** Male thread R  $3/8"$
- **ACA3035** Male thread R  $1/2"$
- **ACA3036** 12.7mm ( $1/2"$ ) bore hose tailpiece
- **ACA3037** 9.5mm ( $3/8"$ ) bore hose tailpiece

## M 100 Series Safety Adaptor

- **ACA9301**  $1/2"$  male thread (bulk packed)

## "Wee" Airline Couplings



- **AC1BF02** Female thread  $1/8"$  BSP
- **AC1AM02** Male thread  $1/8"$  BSPT
- **AC1CM02** Male thread  $1/4"$  BSPT

## "Wee" Airline Adaptors



- **ACA2548** Female thread  $1/8"$  BSP
- **ACA2048** Male thread  $1/8"$  BSPT
- **ACA6535** Male thread  $1/4"$  BSPT
- **ACA2057** 3.2mm ( $1/8"$ ) bore hose
- **ACA2058** 4.75mm ( $3/16"$ ) bore hose
- **ACA2238** 6.25mm ( $1/4"$ ) bore hose

## Safety Couplings



- **AC29CM** Male thread R  $1/4"$
- **AC29EM** Male thread G  $3/8"$
- **AC29JM** Male thread G  $1/2"$
- **AC29CF** Female thread Rp  $1/4"$
- **AC29EF** Female thread G  $3/8"$
- **AC29JF** Female thread G  $1/2"$

## PF Couplings



- **AC77CM** Male thread R  $1/4"$
- **AC77EM** Male thread G  $3/8"$
- **AC77JM** Male thread G  $1/2"$
- **AC77CF** Female thread Rp  $1/4"$
- **AC77EF** Female thread G  $3/8"$
- **AC77JF** Female thread G  $1/2"$
- **AC7706** 6mm hose tailpiece
- **AC7708** 8mm hose tailpiece
- **AC7710** 10mm hose tailpiece
- **AC7713** 13mm hose tailpiece

## PF Adaptors



- **AA7702** Male thread R  $1/4"$
- **AA7703** Male thread G  $3/8"$
- **AA7706** Female thread Rp  $1/4"$
- **AA7707** Female thread Rp  $3/8"$
- **AA7710** 6mm hose tailpiece
- **AA7711** 8mm hose tailpiece
- **AA7712** 10mm hose tailpiece

## Hose Connectors and Fittings



### Male Screwed Tailpiece

- **HC5656**  $1/4"$  BSPT 6.35 mm ( $1/4"$ ) bore hose  
Kestrel packed No. **AC6P**
- **HC1205**  $1/4"$  BSPT 4.75 mm ( $3/16"$ ) bore hose
- **HC1206**  $1/4"$  BSPT 7.9 mm ( $5/16"$ ) bore hose
- **HC1217**  $1/4"$  BSPT 9.5 mm ( $3/8"$ ) bore hose  
Kestrel packed No. **AC7P**
- **HC2479**  $1/4"$  BSPT 12.7 mm ( $1/2"$ ) bore hose
- **HC6904**  $3/8"$  BSPT 6.35 mm ( $1/4"$ ) bore hose
- **HC6905**  $3/8"$  BSPT 7.9 mm ( $5/16"$ ) bore hose
- **HC2951**  $3/8"$  BSPT 9.5 mm ( $3/8"$ ) bore hose
- **HC2808**  $3/8"$  BSPT 12.7 mm ( $1/2"$ ) bore hose
- **HC6908**  $1/2"$  BSPT 9.5 mm ( $3/8"$ ) bore hose
- **HC2954**  $1/2"$  BSPT 12.7 mm ( $1/2"$ ) bore hose

### Coned Tailpiece

- **HC5030** 4.75 mm ( $3/16"$ ) bore hose for  $1/4"$  BSP union nut
- **HC5275** 6.35 mm ( $1/4"$ ) bore hose for  $1/4"$  BSP union nut  
Kestrel packed No. **AC14P**
- **HC5276** 7.9 mm ( $5/16"$ ) bore hose for  $1/4"$  BSP union nut
- **HC1225** 9.5 mm ( $3/8"$ ) bore hose for  $1/4"$  BSP union nut
- **HC2192** 9.5mm ( $3/8"$ ) bore hose for  $3/8"$  BSP union nut
- **HC2594** 7.9mm ( $5/16"$ ) bore hose for  $3/8"$  BSP union nut
- **HC2595** 6.35mm ( $1/4"$ ) bore hose for  $3/8"$  BSP union nut



### Union Nut

- **HC5194**  $1/4"$  BSP  
(for tailpieces 5030, 5275 and 5276)  
Kestrel packed No. **AC14P**
- **HC1226**  $1/4"$  BSP (for tailpiece 1225)
- **HC2181**  $3/8"$  BSP  
(for tailpieces 2595, 2594 and 2192)



## Hose Connectors and Fittings (continued)



- Parallel Socket**
- **HC6889** 1/4" BSP



- Reducing Bush M x F**
- **HC6475** 1/4" taper x 3/8" BSP parallel
- **HC6895** 3/8" taper x 1/4" BSP parallel
- **HC6896** 1/2" taper x 1/4" BSP parallel
- **HC6897** 1/2" taper x 3/8" BSP parallel



- Reducing Union M x M**
- **HC6899** 3/8" x 1/4" BSPT
- **HC6900** 1/2" x 1/4" BSPT
- **HC6901** 1/2" x 3/8" BSPT



- Reducing Bush F x F**
- **HC6892** 3/8" x 1/4" BSP



- Double-ended Hose Connector/Repairer**
- **HC2983** 6.35 mm (1/4") bore hose
- Kestrel packed No. AC8P**
- **HC2984** 7.9 mm (5/16") bore hose
- **HC2985** 9.5 mm (3/8") bore hose
- Kestrel packed No. AC9P**
- **HC2986** 12.7 mm (1/2") bore hose



- Double Union**
- **HC6560** 1/4" BSPT
- Kestrel packed No. AC11P**
- **HC4281** 3/8" BSPT
- Kestrel packed No. AC12P**
- **HC6898** 1/2" BSPT

## Worm Drive Hose Clips




	Diameter mm	Diameter in	Quantity per pack
HDC12/M	9.5 - 12	3/8" - 1/2"	20
HDC16/M	11 - 16	1/2" - 5/8"	20
HDC20/M	13 - 20	1/2" - 3/4"	20
HDC22/M	14 - 22	5/8" - 7/8"	20

## Blowguns



- **BG105** Blowgun with conical nozzle
- **BG106** Blowgun with safety nozzle
- **BG405** Pistol grip blowgun, comes with conical and safety nozzle

## Blowgun Nozzles



- **BGN462** Booster Nozzle
- **BGN463** Syphon spray nozzle
- **BGN466** 230mm (9") extension nozzle
- **BGN461** Safety Nozzle
- **BGN4088** Conical Nozzle

## Plastic Blowgun



- **BG5002** Pistol grip blowgun
- **BG5004** Pistol grip blowgun with safety nozzle
- **BG5005** Pistol grip blowgun, aircurtain safety model
- **BG5006** Pistol grip blowgun, low noise safety conforms with H.S.E. requirements

## Air and Water Gun



- **AWG01** Adjustable air and water jet dispenser

## Water Dispensers



- **RF102** Water dispenser, lever model
- **RF201** Water dispenser, screw-down model

## Airvac Air-operated Vacuum Cleaner & Blowgun



- **AV101** Garage model, with dust bag
- **AV201** Industrial model, with 1.8m (6ft) flexible hose

## Coiled Hose Assembly



- **HA5201** Nylon Hose  
6mm bore x 8mm OD 7.62m (25ft) working length with 1/4" BSP male swivel ends (360°)
- **HA5203** Nylon Hose 3/8" bore x 1/2" OD 7.62m (25ft) working length with 3/8" bsp male swivel ends (360°)
- **HA5208** Nylon Hose 6mm bore x 10mm OD 10m (32ft) working length with R 1/4" swivel ends (360°)
- **HA5204** Polyurethane Hose 6mm bore x 10mm OD 4.57 m (15ft) working length with 1/4" BSP male swivel ends (360°)
- **HA5206** Polyurethane Hose 6mm bore x 8mm OD 2m (6ft) working length with R 1/4" swivel ends (360°)
- **HA5207** Polyurethane Hose 6mm bore x 10.0 OD 8.5m (27ft) working length with R 1/4" swivel ends (360°)

## Elbows, T & Y Pieces



### Female equal elbow

- **FEL02** 1/8" BSP female to 1/8" BSP female
- **FEL04** 1/4" BSP female to 1/4" BSP female
- **FEL06** 3/8" BSP female to 3/8" BSP female
- **FEL08** 1/2" BSP female to 1/2" BSP female



### Male/Female equal elbow

- **MFL02** 1/8" BSP male to 1/8" BSP female
- **MFL04** 1/4" BSP male to 1/4" BSP female
- **MFL06** 3/8" BSP male to 3/8" BSP female
- **MFL08** 1/2" BSP male to 1/2" BSP female



### Female equal tee

- **FET02** 1/8" BSP female to 2 x 1/8" BSP female
- **FET04** 1/4" BSP female to 2 x 1/4" BSP female
- **FET06** 3/8" BSP female to 2 x 3/8" BSP female
- **FET08** 1/2" BSP female to 2 x 1/2" BSP female



### Female Y

- **FY02** 1/8" BSP female to 2 x 1/8" BSP female
- **FY04** 1/4" BSP female to 2 x 1/4" BSP female
- **FY06** 3/8" BSP female to 2 x 3/8" BSP female
- **FY08** 1/2" BSP female to 2 x 1/2" BSP female



### Male to 2 Female Y

- **MFY02** 1/8" BSP male to 2 x 1/8" BSP female
- **MFY04** 1/4" BSP male to 2 x 1/4" BSP female
- **MFY06** 3/8" BSP male to 2 x 3/8" BSP female
- **MFY08** 1/2" BSP male to 2 x 1/2" BSP female